	Application No.	Applicant(s)
Notice of Allowability	09/973,888	OKABAYASHI ET AL.
	Examiner	Art Unit
	Paul B Yanchus	2116
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All daims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendments filed on 2/7/05.</u>		
2. The allowed claim(s) is/are 3,5 and 6.		
3. The drawings filed on 11 October 2001 are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 □ Nation of Information	2-A-ra Amelia dia (DTO 450)
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		Patent Application (PTO-152)
2.   Notice of Dranperson's Pateril Drawing Review (P10-948)	6.  ☐ Interview Summary Paper No./Mail Da	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0- Paper No./Mail Date</li> </ol>	8), 7. ⊠ Examiner's Amendr	ment/Comment
4.   Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9. 🗌 Other	

Application/Control Number: 09/973,888

Art Unit: 2116

**DETAILED ACTION** 

This office action is in response to amendments filed on 3/7/05.

Allowable Subject Matter

Claims 3, 5 and 6 are allowed.

**EXAMINER'S AMENDMENT** 

An examiner's amendment to the record appears below. Should the changes and/or additions be

unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure

consideration of such an amendment, it MUST be submitted no later than the payment of the

issue fee.

1. The application has been amended as follows:

2. Pursuant to MPEP 606.01, the title has been changed to read:

-- APPARATUS FOR CONTROLLING AND SUPPLYING IN PHASE CLOCK SIGNALS TO COMPONENTS OF AN INTEGRATED CIRCUIT WITH A

MULTIPROCESSOR ARCHITECTURE --

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Paul B Yanchus whose telephone number is (571) 272-3678. The

examiner can normally be reached on Mon-Thurs 8:00-6:00.

Page 2

Application/Control Number: 09/973,888

Art Unit: 2116

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Lynne H Browne can be reached on (571) 272-3670. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Paul Yanchus March 23, 2005 SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100

Page 3